

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2009; month=12; day=31; hr=13; min=24; sec=24; ms=241;
]

=====

Application No: 10534915 Version No: 1.0

Input Set:**Output Set:**

Started: 2009-12-30 15:49:02.263
Finished: 2009-12-30 15:49:03.627
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 364 ms
Total Warnings: 14
Total Errors: 0
No. of SeqIDs Defined: 14
Actual SeqID Count: 14

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)

SEQUENCE LISTING

<110> Haberhausen, Gerd
 Emrich, Thomas
 Dagner, Gregor
 Moczko, Martin
 Schmitz-Agheguian, Gufrum

<120> Multiplex Assay Detection of Pathogenic Organisms

<130> 21917-US

<140> 10534915

<141> 2009-12-30

<150> PCT/EP2003/013530

<151> 2003-12-02

<150> EP 02027272.0

<151> 2002-12-02

<150> EP 03007458.7

<151> 2003-04-04

<160> 14

<170> PatentIn version 3.2

<210> 1

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Forward Primer

<400> 1

tactttgttc agttttgaga ggt

23

<210> 2

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Reverse Primer

<400> 2

gcaattgaac ttattaaactc

24

<210> 3

<211> 29

<212> DNA

<213> Artificial Sequence

<220>
<223> Fluos Probe I

<400> 3
ctggatattg aagtaaaaag aatcaaaac 29

<210> 4
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Fluos Probe II

<400> 4
gatatttgaa gtaaattgaa gtaat 25

<210> 5
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Red 610 Probe

<400> 5
accgagaaca ccgcgttgaa t 21

<210> 6
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Forward Primer

<400> 6
tgtacattga aaactagata agtaag 26

<210> 7
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Reverse Primer

<400> 7
acgcgttatt aatcttgtga gt 22

<210> 8
<211> 23

<212> DNA
<213> Artificial Sequence

<220>
<223> Flous Prober I

<400> 8
ccgagtgaat aaagagtttt aaa 23

<210> 9
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Red 640 Probe

<400> 9
gcttgaattc ataagaaata atcg 24

<210> 10
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Forward Primer

<400> 10
tctaaaacaa tcgtcgaaag c 21

<210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Reverse Primer

<400> 11
ccgaaaattc gcgcttgaac 20

<210> 12
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Flous Probe 1

<400> 12
gaagtaagac tgaatgatct ctt 23

<210> 13
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Red 670 Probe

<400> 13
tcactgggtga tcattcaagt caaggt 26

<210> 14
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> IC-Probe Red705

<400> 14
ccagtagaat gcccaacc 17